

# PONENTE 7




Certificate model name : PONENTE 7 T1

## PELLET AIR - Pellet stoves



Nominal power	kW	6,8
Reduced power	kW	3,3
Introduced thermal power (max)	kW	7,8
Nominal water useful power	kW	-
Reduced water useful power	kW	-
Seasonal energy efficiency	ηs [%]	83
Nominal efficiency	%	88
Reduced efficiency	%	89,5
Heating volume (min-max)	m³	92 - 190
Nominal CO at 13% O <sub>2</sub>	%	0,012
Reduced CO at 13% O <sub>2</sub>	%	0,013
Emissions CO (13% O <sub>2</sub> ) (min-max)	mg/Nm³	162 - 150
Emissions OGC (13% O <sub>2</sub> ) (min-max)	mg/Nm³	3 - 2
Emissions NOX (13% O <sub>2</sub> ) (min-max)	mg/Nm³	120 - 100
Dust content at 13% O <sub>2</sub> (min- max)	mg/Nm³	15 - 15
Boiler capacity (H <sub>2</sub> O)	l	-
Hopper capacity	kg	8
Combustible		Pellet ø6
Hourly consumption (min-max)	kg/h	0,7 - 1,6
Autonomy (min-max)	h	11 - 5
Ignition electrical absorption (max)	W	370
Operating electrical absorption (max)	W	82
Supply and frequency	V - Hz	230 - 50
Chimney flue depression	Pa	11
Mass of smoke (min-max)	g/sec	4,2 - 5,9
Exhaust fumes temperature (max)	°C	174
Net weight	kg	73
Gross weight	kg	85
Exhaust fumes (A)	Ø mm	80
Hole combustion air inlet (B)	Ø mm	60
Ducting outlet (C)	Ø mm	-
Ducting capability up to	m	-



Art. 15A-B-VG-2015  
BImSchV 2015  
Regensburg  
München  
Stuttgart  
Aachen



### MATCH

7024003	Black glass	EAN 8053859020561
OPTIONAL :		
5020015	Kit podium	EAN 8053859012832
5024002	Pellet drawer	EAN 8053859010258
5018002	Loading pellet door	EAN 8053859010265
5024003	Frame	EAN 8053859010302
5024004	Frame drawer	EAN 8053859010319

### PLUS



Cast iron burning pot



Sealed chamber



Go fast - faster pellet ignition



Daily weekly programming



Connection to the external thermostat



Comfort mode



Upper exhaust




Cast iron inner



Bluetooth+ Integrated Wi-Fi


### STOVE PACKING



L (cm)	H (cm)	P (cm)
79	71.5	70


VOLUME (m³)
0.40

### LINING PACKING



L (cm)	H (cm)	P (cm)
-	-	-

### STOCKING



### TRANSPORT

